

### CERTIFICATE OF ANALYSIS



<b>Name</b>	Anti-SIGLEC15, C02	<b>Catalog Number</b>	B217902
<b>Isotype</b>	Human IgG4P-Kappa	<b>Host</b>	HEK293

### QC Results

Test Items	Specifications	Results
<b>Purity</b>	>98%, by SDS-PAGE under reducing conditions.	Pass
	98.599%, by SEC-HPLC test.	Pass
<b>Endotoxin</b>	<1 EU/mg as determined by LAL test.	Pass

### QC Data

#### SDS-PAGE and SEC-HPLC

	1	M																					
																							
	LaneM: Marker Lane1: Reducing of B217902		检测器A Ch2 280nm <table border="1"> <thead> <tr> <th>峰号</th> <th>保留时间</th> <th>面积</th> <th>高度</th> <th>面积%</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6.699</td> <td>28783</td> <td>1065</td> <td>1.401</td> </tr> <tr> <td>2</td> <td>7.716</td> <td>2026131</td> <td>118295</td> <td>98.599</td> </tr> <tr> <td>总计</td> <td></td> <td>2054915</td> <td>119360</td> <td>100.000</td> </tr> </tbody> </table>	峰号	保留时间	面积	高度	面积%	1	6.699	28783	1065	1.401	2	7.716	2026131	118295	98.599	总计		2054915	119360	100.000
峰号	保留时间	面积	高度	面积%																			
1	6.699	28783	1065	1.401																			
2	7.716	2026131	118295	98.599																			
总计		2054915	119360	100.000																			

CONFIDENTIAL

Biointron Biological Inc.